



# **Hersan USA™**

# **TRAFFIC DIVIDERS**

**Product Bulletin Traffic Dividers**  
**January 2022**

## 1 Description

Hersan USA™ Traffic Dividers have been designed to be physical and audible warning for motorists in temporary or permanent installations and Material is UV stabilized and cold weather impact protected. The Traffic Dividers bodies are made of an engineering grade thermoplastic that provides high impact and weather resistance. The Traffic Dividers are available in yellow or green color.

The Traffic Dividers are designed for application on asphalt and Portland cement surfaces.

Traffic Dividers are available in the colors in Table 1.

**Table 1.** Product types and colors by product code.

Color	Product Code
Traffic Divider Type A Yellow Body / White Reflective	DL-AA-11-22-00
Traffic Divider Type A Yellow Body / Red Reflective	DL-AA-11-23-00
Traffic Divider Type A Green Body / White Reflective	DL-AA-14-22-00
Traffic Divider Type A Green Body / Red Reflective	DL-AA-14-23-00
Traffic Divider Type B Yellow Body, 8 Cat Eyes	DL-BB-11-62-08
Traffic Divider Type B Green Body, 8 Cat Eyes	DL-BB-14-62-08

For applications not covered by the above documents, it is the installer's responsibility to contact the appropriate Hersan USA™ representative or application engineer for guidance by emailing [sales@hersan.us](mailto:sales@hersan.us).

## 2 Product Features

- Superior resistance and performance
- HDPE Body
- Eco-Friendly
- Impact resistant
- Molded-in body colors
- Cat Eyes and High-Intensity Reflectors
- High visibility in low-light conditions
- Highly engineered exclusive design

### 3 Specifications

#### 3.1 Product Dimensions

The dimensions of the traffic dividers conform to the values presented in Table 2.

**Table 2.** Traffic Dividers dimensions.

##### TRAFFIC DIVIDER TYPE A

Dimension	Value
Height	4.00 ± 0.40 in (10.00 ± 1.00 cm)
Width	6.00 ± 0.40 in (15.00 ± 1.00 cm)
Length	31.00 ± 0.66 in (78.70 ± 1.70 cm)

##### TRAFFIC DIVIDER TYPE B

Dimension	Value
Height	6.00 ± 0.40 in (15.00 ± 1.00 cm)
Width	8.00 ± 0.40 in (20.35 ± 1.00 cm)
Length	32.00 ± 0.66 in (81.00 ± 1.70 cm)

### 4 Durability

Maximum Traffic Dividers durability is achieved when the pieces are properly applied according to all applicable recommendations provided in product bulletins. Minimal marker loss may occur under normal traffic conditions when applied according to Hersan USA™ recommendations.

### 5 Storage

Store indoors in a cool dry area.

### 6 Health & Safety Information

Read all health hazard, precautionary, and first aid statements found in the Safety Data Sheets (SDS), Article Information Sheets, and products labels of any materials for important health, safety, and environmental information prior to handling or use. To obtain SDS's and Article Information Sheets for Hersan USA™ products, go to [hersan.us/SDS](https://hersan.us/SDS), contact Hersan USA™ by emailing [sales@hersan.us](mailto:sales@hersan.us).

## **7 Warranty Information**

### **7.1 Hersan USA™ Standard Warranty**

Traffic Dividers are warranted (“Hersan USA™ Standard Warranty”) to be free of defects in materials and manufacture at the time of shipment and to meet the specifications stated in this product bulletin. If the pieces are proven not to have met the Hersan USA™ Standard Warranty on their shipment date, then a buyer's exclusive remedy, and Hersan USA™’s sole obligation, at Hersan USA™’s option, will be refund or replacement of the Traffic Dividers.

### **7.2 Disclaimer**

THE HERSAN USA™ WARRANTY IS MADE IN LIEU OF ALL OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE, OR ANY IMPLIED WARRANTY ARISING OUT OF A COURSE OF DEALING OR OF PERFORMANCE, CUSTOM, OR USAGE OF TRADE.

### **7.3 Exclusive Limited Remedy**

If Traffic Dividers are proven not to have met the Hersan USA™ Standard Warranty or Hersan USA™ Warranty, then a user's exclusive remedy, and Hersan USA™'s sole obligation, at Hersan USA™'s option, will be refund or replacement of the non-conforming Traffic Dividers.

### **7.4 Limitation of Liability**

Except for the limited remedy stated above, and except where prohibited by law, Hersan USA™ will not be liable for any loss or damage arising from the pieces or any Hersan USA™ product, whether direct, indirect, special, incidental, or consequential damages (including but not limited to lost profits, business, or revenue in any way), regardless of the legal theory asserted including warranty, contract, negligence, or strict liability.

## **8 Other Product Information**

Always confirm that you have the most current version of the applicable product bulletin, information folder, or other product information from Hersan USA™'s Website at <http://www.hersan.us>.